This is a very nice and comfortable peeling dedicated to all kinds of skins even the most sensitive ones: Gentle exfoliation with the fine beads VIVAPUR $^{\circ}$  CS 150 S.

Phase	Product Name	INCI	Functions	%
A	Demineralized water	Aqua	Solvent	66.2
	Glucono-Delta-Lactone	Gluconolactone	Chemical exfoliant	8.0
В	20% sodium hydroxyde solution	Sodium Hydroxide & Aqua	pH adjuster	8.0
С	Trisodium Citrate Dihydrate	Sodium Citrate	Buffer agent	1.5
	Citric Acid Monohydrate	Citric Acid	Buffer angent	0.5
D	Microcare® NB (THOR PC)	Sodium Benzoate	Preservative	0.5
	Sodium Gluconate	Sodium Gluconate	Chelating agent	0.2
	MPG-V	Propylene Glycol	Humectant	3.0
	Glycerine 99.5 % AMI COLZA	Glycerin	Moisturizer	2.0
E	VIVAPUR <sup>®</sup> CS 032 XV	Microcystalline Cellulose & Xanthan Gum	Stabilizer Thickener	3.0
	VIVAPUR <sup>®</sup> CS 150 S	Microcrystalline Cellulose	Peeling Massage	7.0
F	Perfume (MANE)	Parfum	Perfume	0.1
Formulated by AMI CHIMIE, France % Natural with Formulation Water		al with Formulation Water*	72.7	

% Natural with Formulation Water\* 72.7 % Natural Origin with Formulation Water\* 97.9

## Process

Mix phase A at room temperature and then heat to 65 °C for 15 min.

Then cool before adjusting the pH to 5 with the 20% sodium hydroxide solution (phase B). Add phase C with stirring until complete dissolution. Disperse the ingredients of phase D one by one and then make the gel by integrating phase E (hydration 1 minute at 600 - 800 rpm and strongly mix at 2 200 rpm for 15 minutes). Then add the scrub and the perfume.

•••••••••••••••• www.jrspersonalcare.com



Fibers designed by Nature